•	,		ATTY DOCKET NO. RPP:135D US		SERIAL NO. 08/644,289		
IN	FORMATION DISCLOSUS O(Use several sheets if neces	RE CITATION	· APPLICANT(S) Molly I	F. Kulesz-Ma	rtin		
	MAY 1 4 1999 G	,,	FILING DATE May 10, 1996		GROUP 1642		
	2	U.S. PATE	ENT DOCUMENTS				· · · · · · · · · · · · · · · · · · ·
*EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DAT APPROPRIA	
		FOREIGN PA	ATENT DOCUMENTS				
	DOCUMENT NUMBER	DATE	COUNTRY		CLASS SUBCLASS	TRANSLATION YES NO	
							· · · · · · · · · · · · · · · · · · ·
	OTHER DOCU	MENTS (Includia	ng Author, Title, Date, Perti	nent Pages	, Etc.)	<u> </u>	
gt.			ous p53 Protein Genera in Mouse Epidermal C				598-
,							
纶			Response to DNA Damage of Latent and Active Sequencents of Mouse p53", Proc. Natl. Acad. Sci, Vol. 94, pp. 898				
			DATE CONCIDENT				
*EXAMINER	L'Initial if reference donsidered, whe	ther or not citation is in c		30/99	tation if not in co	nformance a	nd not
considered. In	nclude copy of this form with next co		t				
Form PTO-A8	£U .		Patent and Trademark Office * U.	S. DEPARTMENT	OFCOMMERCE		

M. T. DAvis

PAGE 1 OF

INFORMATION DISCLOSURE COATION		ATTY DOCKET NO. SERIAL NO.: 08/644,289 RPP:135D US APPLICANT(S): Molly F. Kulesz-Martin			08/644,289			
	(Use several sheets if r	THE 0.5	الخ	FILING DATE: 5/10/9)6	GROUP: 1642		
		SEN SH	PARENT	DOCUMENTS	<u> </u>			
EXAMINER IITIAL	DOCUMENT NUMBER	DATE		O INPRE E YOU	CLASS	SUBCLASS	FILING DATE APPROPRIATE	
				JUL 0 2 1999				
				TEN THAD BANKE				
								<u>. </u>
							-	
					-			
	<u>.</u>	FOREIC	ON PATE	NT DOCUMENTS			<u></u>	
	DOCUMENT NUMBER	DATE	:	COUNTRY	CLASS	SUBCLASS	TRANSLA*	NO
Æ	0 652 232 A1	5/10/95	EUF	ROPE				
	-							
						TA .		
	OTHER DO	OCUMENTS (Inc	cluding Au	ithor, Title, Date, Per	tinent Page:	s, Etc.)		
								-
-								
XAMINE				DATE CONSIDERED	v.l. 1 -			
EXAMINE	R: Initial if reference obnsidered, Include copy of this form with nex				7/30/9		nformance and	not
orm PTO-At	820	a communication to ap	piicalit.	Patent and Trademark Office * PACE	U.S. DEPARTMEN		· · · · · · · · · · · · · · · · · · ·	

M. T.DAU'S

08/29/08

	•			سيبير		ATTY DOCKET NO. RPP:135D US		SERIAL NO. 08/644,289)	
	INF	ORM	IATION DISCLOSU		N DEAR	APPLICANT(S) Molly	F. Kulesz			
			(Use several sheets if necess	iary)	UG Ö					
				FILING DATE: 5-10-96		GROUP: Unkn	own			
				() v.s.i	PATENT	DOCUMENTS	\			
*EXAMINER INITIAL			DOCUMENT NUMBER	DATE	3 - 2	NAME	CLASS	SUBCLASS	FILING DA	
	<u> </u>					······	ļ		AFROIR	~
										
						-				
<u> </u>				FOREIC	ON PATE	NT DOCUMENTS	1			
			DOCUMENT NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	TRANS	LATION
								_	YES	NO
48		92/	/13970	8/92	WO					
4E		EP	-A-O-529 160	3/93	EP					
			OTHER DOCU	MENTS (Inc	cluding Au	ıthor, Title, Date, Perti	nent Page	s, Etc.)		
1/E	Arai, N., et al., (1986) Immunologically Distinct p53 Molecules Generated by Alternative Splicing. Mol. and Cell. Biol. 6, 3232-3239.									
11	<u> </u>					nd Characterization		Abundant C	ytoplas	mic
90			7S RNA from M	ouse Cells.	Nucleic	Acids Res. 10, 42	59-4277	•		
1K			Bargonetti, J., et al. (1992) Site-Specific Binding of Wild-Type p53 to Cellular DNA is							
10	-	Inhibited by SV40 T Antigen and Mutant p53. Genes & Dev. 6, 1886-1898.								
15	Inhibited by SV40 T Antigen and Mutant p53. Genes & Dev. 6, 1886-1898. Bayle, J. et al., (1995) The Carboxyl-Terminal Domain of the p53 Protein Regulates Sequence-Specific DNA Binding Through its Nonspecific Nucleic Acid Binding Activity, Proc. Nat. Acad. Sciences of USA, Vol. 92, No. 12, pg. 5729-5733. Burns, P.A., et al. (1991) Loss of Heterozygosity and Mutational Alterations of the p53 Gene in Skin Tumours of Interspecific Hybrid Mice. Oncogene 6, 2363-2369. Crook, T., et al. (1991) Modulation of Immortalizing Properties of Human Papillomavirus Type 16E7 by p53 Expression. J. Virol. 6, 505-510. Davies, R., et al. (1993) Antioxidants can Delay Liver Cell Maturation Which in Turn Affects y-glutamyltranspentidase Expression. Carcinogen. 14 47-52						tes			
10										
10			Burns, P.A., et al. (1991) Loss of Heterozygosity and Mutational Alterations of the p53							
1/2			Gene in Skin Tumours of Interspecific Hybrid Mice. Oncogene 6, 2363-2369.							
IK			Crook, T., et al. (1991) Modulation of Immortalizing Properties of Human							
10	_		Papillomavirus Type 16E7 by p53 Expression. J. Virol. 6, 505-510.							
15		Davies, R., et al. (1993) Antioxidants can Delay Liver Cell Maturation Which in Turn								
					·					
	EXAMINER Jonne & Nel DATE CONSIDERED 3/26/97									
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.										
Form PTO-A820 Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE										

M.T. DAVIS

PAGE |

	ATTY DOCKET NO.	SERIAL NO.				
TAIL RO	RPP:135D US	08/644,289				
INFORMATION DISCLOSURE CITATION 26 (Use several sheets if necessary)	APPLICANT(S) Molly F. Kulesz-Martin					
1996	ر من المنظمة ا منظمة المنظمة	GROUP Unknown 1806				
OTHER DOCUMENTS (maiding	Author, Title, Date, Pertinent P	'ages, Etc.)				
Eliyahu, D., et al. (1988) Meth A Mutant p53 Species. Oncogene 3,		ss Two Transforming				
Farmer, G., et al. (1992) Wild-Ty 83-86.						
Finlay, C.A., et al. (1989) The p5 Transformation. Cell 57, 1083-10	Finlay, C.A., et al. (1989) The p53 Proto-Oncogene can Act as a Supressor of Transformation. Cell 57, 1083-1093.					
Fontoura, B.M.A.et al. (1992) p5: Biol. 12, 5145-5151.	3 is Covalently Linked to 5	5.8S rRNA. Mol. Cell.				
Finlay, C.A., et al. (1989) The p5 Transformation. Cell 57, 1083-16 Fontoura, B.M.A.et al. (1992) p5: Biol. 12, 5145-5151. Foord, O.S., et al. (1991) A DNA Wild Type p53 Protein. Nucleic Foulkes, N.S., et al. (1992) More Gene. Cell 68, 411-414.						
Foulkes, N.S., et al. (1992) More Gene. Cell 68, 411-414.	Foulkes, N.S., et al. (1992) More is Better: Activators and Repressors from the Same					
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Gannon, J.V. et al. (1990) "Activating Mutations in p53 Produce a Common Conformational Effect. A Monoclonal Antibody Specific for the Mutant Form," EMBO 9:1595-1602.					
Hainaut, P., et al. (1992) Interaction with	Hainaut, P., et al. (1992) Interaction of Heat-Shock Protein 70 with p53 Translated in vitro evidence for Interaction with Dimeric p53 and for a Role in the Regulation of p53 Conformation. EMBO J. 11, 3513-3520.					
	Han, K., et al. (1990) Altered Levels of Endogenous Retrovirus-like Sequence (VL30) RNA During Mouse Epidermal Cell Carcinogenesis. Mol. Carcinogenesis 3:75-82.					
	Han, K., et al. (1992) Altered Expression of Wild-type p53 Tumor Supressor Gene During Murine Epithelial Cell Transformation. Cancer Research 52, 749-753.					
1 <i>1/7</i> 7	Han, K., et al. (1992) Alternatively Spliced p53 RNA in Transformed and Normal Cells of Different Tissue Types. Nucleic Acids Res., 20(8), 1979-1981					
Hupp, T.R., et al. (1992) Regulation Cell 71, 875-886.	Hupp, T.R., et al. (1992) Regulation of the Specific DNA Binding Function of p53.					
	Jenkins, J.R., et al. (1984) Cellular Immortalization by a cDNA Clone Encoding the Transformation-Associated Phosphoprotein p53. Nucleic Acids Res. 12, 5609-5626.					
Kastan, M.B., et al. (1991) Partic DNA Damage. Cancer Research	Kastan, M.B., et al. (1991) Participation of p53 Protein in the Cellular Response to DNA Damage. Cancer Research 51, 6304-6311.					
Kastan, M.B. et al. (1992) A Mar and GADD45 is Defective in Ata	Kastan, M.B. et al. (1992) A Mammalian Cell Cycle Checkpoint Pathway Utilizing p53 and GADD45 is Defective in Ataxia-Telangiectasia. Cell 71, 587-597.					
Carcinogen-Induced Altered Diffe	Kulesz-Martin, M. et al. (1985) Mouse Cell Clones for Improved Quantitation of Carcinogen-Induced Altered Differentiation. Carcinogenesis 6, 1245-1254.					
EXAMINER JUSTICE Edel DATE CONSIDERED 3/26/97						
*EXAMINER: Initial if reference considered whether or not citation is in conform considered. Include copy of this form with next communication to applicant. Form PTO-A820	nance with MPEP 609; Draw line through ci					

(also form PTO-1449)

Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE
PAGE 2 OF 4

M. T. D. A-VIS 08/29/06

	Will Book	ATTY DOCKET NO.	SERIAL NO.				
		RPP:135D US	08/644,289				
INFO	INFORMATION DISCLOSURE CITATIONG (Use several sheets if necessary) APPLICANT(S) Molly F. Kulesz-Martin						
	1996	FILING DATE 5-10-96	GROUP Unknown 1806				
	OTHER DOCUMENTS (Including Au	thor, Title, Date, Pertinent Page	es, Etc.)				
111	Kulesz-Martin, M. et al. (1986) Ret						
12	Transformation of Mouse Epiderma						
	Kulesz-Martin, M. et al. (1989) Pemphigoid, Pemphigus and Desmoplakin as Antigenic						
4	Markers of Differentiation in Norma	al and Tumorigenic Mouse	Keratinocyte Lines.				
	Cell Tissue Kinet. 22, 279-290.						
	Kulesz-Martin, M. et al. (1991) Tun	nor Progression of Murine	Epidermal Cells After				
	Treatment in vitro with 12-O-Tetrad	lecanoylphorbol-13-Acetat	e or Retinoic Acid.				
	Cancer Research 51, 4701-4706.						
111	Kulesz-Martin, M. et al. (1983) Pro	perties of Carcinogen Alter	red Mouse Epidermal				
	Cells Resistant to Calcium-Induced	Terminal Differentiation.	Carcinogen 4, 1367-1377.				
11	Kulesz-Martin, M. et al., (1994) End	dogenous Mouse p53 Prote	ein Generated by				
12	Alternative Splicing, J. Cellular Bio	chemistry Supplement, Vo	1. 0, No. 18c, page 170.				
4	Lane, D.P. (1992) p53, Guardian of	the Genome. Nature 358,	15-16.				
11	Milne, D.M., et al. (1992) Mutation	of the Casein Kinase II P	hosphorylation Site				
190	Abolishes the Anti-Proliferative Act						
11	Milner, J. (1991) The Role of p53 is						
9	Opinion in Cell Biology 3, 282-286						
US.	Milner, J. (1984) Different Forms of		onal Antibodies in Non-				
	Dividing and Dividing Lymphocytes	s. Nature 20, 143-145.					
111	Milner, J. et al. (1991) Cotranslation	n of Activated Mutant p53	with Wild Type Drives				
2	the Wild-Type p53 Protein into the Mutant Conformation. Cell 65, 765-774.						
18	Momand, J., et al. (1992) The mdm-	-2 Oncogene Product form	s a Complex with the p53				
9	Protein and Inhibits p53-Mediated 7	Transactivation. Cell 69, 1	237-1245.				
111	Nigro, J.M., et al. (1992) Human p5	3 and CDC2Hs Genes Cor	mbine to Inhibit the				
里	Proliferation of Saccharomyces Cere	evisiae. Mol. and Cell Biol	l. 12, 1357-1365.				
10	Oren, M. et al. (1983) Molecular Cloning of a cDNA Specific for the Murine p53						
90	Cellular Tumor Antigen. Proc. Natl. Acad. Sci. USA, 80, 56-59.						
14	Prives, C., et al. (1993) The p53 Tumor Suppressor Protein: Meeting Review. Genes &						
L L	Dev. 7:529-534.	• •	U				
111	Ro, Y.S., et al. (1993) p53 Protein Expression in Benign and Malignant Skin Tumours.						
Br. J. Dermatol. 12, 237-241.							
15	Ruggeri, B., et al. (1991) Alterations of the p53 Tumor Suppressor Gene During Mouse						
Skin Tumor Progression. Cancer Research 51, 6615-6621.							
EXAMINER							
*EXAMINER/ Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not							
	al it reference considered whether or not citation is in conformanc copy of this form with next communication to applicant.	e with MPEP 009; Draw line through citatio	и и пот ил cornormance and not				
Form PTO-A820 Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE .							

Form PTO-A820 (also form PTO-1449) Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE PAGE 3 OF 4

M. T. DAVIS

08/29/06

	AIL ROO	ATTY DOCKET NO.	SERIAL NO.						
•	ALIC MAIN	RPP:135D US	08/644,289						
	(Use several sheets if necessary) 26 25	APPLICANT(S) Molly F. Ku	ılesz-Martin						
	1996	FILING DATE 5-10-96	GROUP Linknown \ 806						
	OTHER DOCUMENTS THE DAME A	uthor, Title, Date, Pertinen	t Pages, Etc.)						
	Schneider, B.L., et al. (1993) 7,12-I	Dimethylbenz[α]anthra	acene-Induced Mouse						
116	Keratinocyte Transformation Witho	ut Harvey ras Protoon	cogene Mutations. J. Invest.						
W	Dermatology, 101:595-599, 1993.								
IK	Seto, E., et al. (1992) Wild-Type p5	3 Binds to the TATA-	-Binding Protein and						
<u>4</u>	Represses Transcription. Proc. Natl								
1H	Soussi, T., et al. (1990) Structural A	spects of the p53 Prot	tein in Relation to Gene						
<u> </u>	Evolution. Oncogene 5, 945-952.								
14		Stenger, J.E., et al. (1992) Formation of Stable p53 Homotetramers and Multiples of							
<u> </u>	Tetramers. Mol. Carcinogen. 5, 102								
IA		Stephen, C.W., et al. (1992) Mutant Conformation of p53. Precise Epitope Mapping							
Y	Using a Filamentous Phage Epitope								
IK		Sturzbecher, H.S., et al. (1992) A C-Terminal α-Helix Plus Basic Region Motif is the							
70	Major Structural Determinant of p5								
4	Vogelstein, B. (1990) A Deadly Inh	eritance. Nature 348,	681-682.						
Æ	Vogelstein, B., et al. (1992) p53 Fu	nction and Dysfunctio	on. Cell 70, 523-526.						
11	Wade-Evans, A., et al. (1985) Preci	se Epitope Mapping o	f the Murine Transformation-						
<u> 72</u>	Associated Protein, p53. EMBO J. 4	4,699-706.							
IK	Weintraub, H., et al. (1991) The Mo		s a p53 Responsive Element.						
<u>42 </u>	Proc. Natl. Acad. Sci. 88, 4570-457								
110	Wolf, D., et al. (1985) Isolation of a	_							
<u> </u>	Immunologically Distinct p53 Mole								
W	Wolf, D., et al. (1984) Reconstitution		_						
y C	Transformed Cell Line by Transfect								
K	Wu, Y. et al., (1994) Physiological								
R	Suppressor Gene, Proc. of the Amer	ncan Assoc. for Cance	er Research, Annual Mitg.,						
	Vol. 35, pg 605.	tomotivale Culicad us	2. Dinding to DNA and						
15	Wu, Y. et al., (1994) Wild-Type Al	·							
楚	1 1 1	Interaction with the Major p53 Protein in vitro and in Cells, The EMBO Journal, Vol. 13, No. 20, pg. 4823-4830.							
	Yonish-Rouach, E., et al. (1993) p5	3-Mediated Cell Deat	h: Relationship to Cell Cycle						
11	1 Omisia recurrent, D., et al. (1773) ps	- 1-10mming Coll Deal	ii. Remunicipinap to cen cycle						

NNO *EXAMINER: Initial if reference considered whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Control. Mol. and Cell. Biol. 13, 1415-1423.

Form PTO-A820 (also form PTO-1449) Patent and Trademark Office * U.S. DEPARTMENT OF COMMERCE

M. T. DAUS 08/29/06

Yonish-Rouach, E., et al. (1991) Wild-Type p53 Induces Apoptosis of Myeloid

Zambetti, G.P., et al. (1992) Wild-Type p53 Mediates Positive Regulation of Gene Expression Through a Specific DNA Sequence Element. Genes & Dev. 6, 1143-1159 DATE CONSIDERED

Leukaemic Cells that is Inhibited by Interleukin-6. Nature 352, 345-347.